


CONQUEST® LINE

Passion starts with the right optics from ZEISS



We make it visible.

// FEELING PASSION
MADE BY ZEISS



The moment challenges turn into success.

This is the moment we work for.



Maximum performance and your passion

Nature does not stand still. Neither does ZEISS. This is impressively underscored in the CONQUEST® line from ZEISS. Uncompromising design, ergonomics and optics at an unbelievably attractive price. Never has so much performance been available in this price class until now with the ZEISS CONQUEST DL riflescopes and HD binoculars. The perfect all-rounders “Made in Germany” unite the company’s legendary quality with the latest technology. The ZEISS CONQUEST products are your doorway to the premium class of ZEISS.

FEELING

PASSI



ZEISS CONQUEST
Binoculars

ON





ZEISS CONQUEST HD Binoculars

Optical excellence for your success



Perfect hunting moments start with perfect optics: ZEISS CONQUEST HD. This modern all-purpose tool will impress you thanks to its powerful HD lens system featuring **maximum detail rendition and natural colour rendition**. Its extra-wide field of view and LotuTec® coating from ZEISS ensure an impressive visual experience “Made in Germany.” Over 90% transmission stands for **bright images well into the twilight**.

All this makes the ZEISS CONQUEST HD the uncompromising doorway to the premium class of ZEISS.

ZEISS CONQUEST HD Binoculars

Nature in high definition

ZEISS CONQUEST HD 8x32/10x32

THE COMPACT MODELS

The ZEISS CONQUEST HD 8x32 is a compact, lightweight powerhouse that is ideal for stalking game. Its compact size makes it a convenient companion in difficult terrain. The 8x magnification provides a good overview and shake-free images at all times. The 10x32 offers a perfect view at long distances in daylight. It offers maximum detail, even at long range. Both models stand out with a close focus range of 1.5 metres.



ZEISS CONQUEST HD 8x42/10x42

THE ALL-ROUNDERS

Designed as a rugged, twilight-capable companion for a wide range of applications, the 8x42 delivers a steady image in all situations thanks to the 8x magnification. The HD lens system guarantees maximum colour rendition. The 10x42 will impress you with the largest field of view in its class. Even at long distances, it provides detailed views of nature and enables long, fatigue-free observation.



ZEISS CONQUEST HD 8x56/10x56/15x56

THE TWILIGHT SPECIALISTS

They feature wide fields of view, outstanding brightness and brilliant, high-contrast images. Whether you are hunting in the first light of the day or late in the evening: the 8x56 is an ideal companion. Thanks to its 7 mm exit pupil, HD lens system and T* multi-coating, it always returns bright, high-contrast images. The 8x56 provides the largest exit pupil and steady images for relaxed observation well into the twilight, while the 10x56 is ideal for seeing even the finest details at long range. The 15x56 is used when extreme distances are the game of the day. Unlock all that nature has to offer and optimize your observation experience with a 1/4" tripod adapter included with delivery.



Nature in HD

- Maximum detail and colour rendition – experience the optics that set standards with the HD lens system.

Light in the darkness

- 90% transmission and more provides an ideal foundation for impressive observations in the twilight.

Clarity

- Less cleaning and more vision is the key to success of the LotuTec lens coating from ZEISS.

The perfect balance

- Outstanding ergonomics thanks to compact dimensions, low weight and a modern design.



Don't miss a thing

- Extra-wide fields of view ensure relaxed observation and an excellent overview.

Made in Germany

- The uncompromising doorway to the ZEISS premium class.

FACE THE CHALLENGE



ZEISS CONQUEST
Riflescopes

ENGE





When precision and reliability count

ZEISS CONQUEST DL riflescopes



The CONQUEST DL riflescopes from ZEISS are the logical continuation of the proven Duralyt design and offer uncompromising quality and performance “Made in Germany” at an **outstanding price**. They are the perfect combination of versatility and reliability down to the very last detail: **optimal image quality and target resolution** thanks to state-of-the-art multi-coatings, fine crosshairs in the 2nd image plane for **minimal target subtension** and a robust mechanical design. The **high light transmission**, the new BDC/ASV for ZEISS CONQUEST DL and the proven ZEISS LotuTec coating make it the best rifle scope in its class. Uncompromising quality “Made in Germany.”

ZEISS CONQUEST DL riflescopes

Products for rough conditions

ZEISS CONQUEST DL 1.2–5x36

THE COMPACT MODELS

With its low weight and wide field of view, the ZEISS CONQUEST DL 1.2–5x36 ensures fast and reliable target acquisition up close. Furthermore, the 5x magnification makes it an outstanding tool for driven hunts and daytime hunting.



ZEISS CONQUEST HD 2–8x42 THE ALL-ROUNDERS

Sleek, compact and versatile, the ZEISS CONQUEST DL 2–8x42 is ideal for precision shots in the field and on the shooting range. The BDC on the CONQUEST DL is optionally available for the 2–8x42. The moderate magnification range makes this riflescope a versatile tool, e.g. for stalking game and uneven terrain.




ZEISS CONQUEST DL 3–12x50 THE SPECIALISTS

High-performance optics and a high magnification range make the ZEISS CONQUEST DL 3–12x50 ideal for mid and long-range shots. It is up to any challenge while sitting game during the day or in the twilight. A bullet drop compensator can also be optionally purchased for the ZEISS CONQUEST DL models (BDC CONQUEST DL). It turns the large ZEISS CONQUEST DL into a long-distance shot expert.




Reticle 6 Non-illuminated



The non-illuminated Reticle 6 lies in the 2nd image plane, remains constant when the magnification changes and is universal: when shooting quickly at low magnification, the reticle is always clearly visible; at high magnification, it remains very fine with minimal subtension.

Reticle 60 Illuminated



The fine, daylight-capable illuminated dot can be activated when needed and impresses with its high light intensity. It can be continuously dimmed, making it ideal for any hunting situation. Its positioning in the 2nd image plane ensures minimal subtension – only 0.8 cm at 100 m with 12x magnification.

Standing up to the cold (-25° C)

- Precision when it counts – ensured by an extremely robust design and the reliable mechanical construction you expect from ZEISS. Reliable operation within a temperature range of -25 to +50 degrees Celsius.

Minimal target subtension

- The fine crosshairs in the 2nd image plane ensure minimal target subtension and maximum visibility during the day and at night.

Clarity

- Clear vision in any weather and easy cleaning thanks to the ZEISS LotuTec coating.



Enhanced senses

- State-of-the-art multi-coatings ensure 90% light transmission for optimal image brightness and target resolution.

Long-range precision

- The bullet drop compensator makes the ZEISS CONQUEST DL even more precise at longer distances. The BDC/ASV allows you to remain on target for maximum hunting distances. The BDC DL is optionally available for the 2–8x42 and 3–12x50 models.

Reliable operation

- Thanks to its outstanding ergonomic form, the ZEISS CONQUEST DL enables easy operation of the illuminated dot and the magnification changer – even when you're wearing gloves.

Robust and reliable

- Quality "Made in Germany" – the perfect doorway to the premium world of ZEISS.

ZEISS CONQUEST DL riflescopes

Specifications



Model	1.2–5x36		2–8x42		3–12x50	
Magnification	1.2	4.7	2	8	3	12
Effective lens diameter	18.7 mm	36 mm	32.5 mm	42 mm	48.9 mm	50 mm
Exit pupil diameter	16 mm	7.7 mm	16.3 mm	5.3 mm	16.3 mm	4.2 mm
Twilight factor	3.4	13.0	5.7	18.3	8.5	25.5
Field of view at 100 m	30 m	8.5 m	15.9 m	4.8 m	11 m	3.2 m
Objective viewing angle	17.1°	4.9°	9.1°	2.8°	6.3°	1.8°
Diopter adjustment range	+2/-3 D		+2/-3 D		+2/-3 D	
Eye relief	90 mm		90 mm		90 mm	
Parallax free	100 m		100 m		100 m	
Square adjustment range at 100 m	280 cm		160 cm		110 cm	
Adjustment per click at 100 m	1 cm		1 cm		1 cm	
Centre tube diameter	30 mm		30 mm		30 mm	
Eyepiece diameter	42 mm		42 mm		42 mm	
Objective tube diameter	42 mm		48 mm		56 mm	
Coating	ZEISS LotuTec		ZEISS LotuTec		ZEISS LotuTec	
Nitrogen filled	Yes		Yes		Yes	
Water resistance	400 mbar		400 mbar		400 mbar	
Operating temperature	-25/+50°C		-25/+50°C		-25/+50°C	
Length	302 mm		302 mm		347 mm	
Weight without illuminated reticle	470 g		475 g		535 g	
Weight with illuminated reticle	515 g		520 g		580 g	
Order number without illuminated reticle	52 54 31		52 54 41		52 54 51	
Order number with illuminated reticle	52 54 35		52 54 45		52 54 55	

All ZEISS CONQUEST DL models feature the ZEISS LotuTec protective coating and come only without a rail. The BDC DL is optionally available for the 2-8x42 and 3-12x50 models. Non-illuminated and illuminated models with the fine Reticle 6 and 60 are available. Additional information is available on the Internet. Subject to changes in design and scope of delivery as a result of ongoing technical development.

ZEISS CONQUEST HD Binoculars

Specifications



Model	8x32	10x32	8x42	10x42	8x56	10x56	15x56
Magnification	8x	10x	8x	10x	8x	10x	15x
Effective lens diameter	32 mm	32 mm	42 mm	42 mm	56 mm	56 mm	56 mm
Exit pupil diameter	4 mm	3.2 mm	5.25 mm	4.2 mm	7 mm	5.6 mm	3.7 mm
Twilight factor	16	17.9	18.3	20.5	21.2	23.7	29.0
Field of view at 1,000 m	140 m	118 m	128 m	115 m	125 m	115 m	80 m
Subjective viewing angle	64° wide angle	68° wide angle	59°	66° wide angle	57°	66° wide angle	69° wide angle
Close focus	1.5 m	1.5 m	2 m	2 m	3.5 m	3.5 m	3.5 m
Diopter adjustment range	+/-4 D						
Exit pupil distance	16 mm	16 mm	18 mm				
Pupil distance	54–74 mm	54–74 mm	54–74 mm	54–74 mm	57–74 mm	57–74 mm	57–74 mm
Lens type	HD						
Prism system	Schmidt-Pechan	Schmidt-Pechan	Schmidt-Pechan	Schmidt-Pechan	Abbe-König	Abbe-König	Abbe-König
Coating	ZEISS LotuTec/T*						
Nitrogen filled	Yes						
Water resistance	400 mbar						
Functional temperature	-20/+63°C						
Length	132 mm	132 mm	150 mm	150 mm	210 mm	210 mm	210 mm
Width at an interpupillary distance of 65 mm	118 mm	118 mm	120 mm	120 mm	145 mm	145 mm	145 mm
Weight	630 g	630 g	795 g	795 g	1,265 g	1,275 g	1,295 g
Order number	52 32 11	52 32 12	52 42 11	52 42 12	52 56 31	52 56 32	52 56 33

Subject to changes in design and scope of delivery as a result of ongoing technical development.
For more information, please go to www.zeiss.com/sports-optics

Tailored to your needs:

Three-pronged approach to optical excellence

ZEISS VICTORY LINE

THE LEADING-EDGE OPTICS

The VICTORY line is the best that ZEISS has to offer. It guarantees excellent performance for unforgettable hunting moments.



ZEISS VICTORY V8



ZEISS VICTORY SF



ZEISS VICTORY HT



ZEISS CONQUEST LINE

THE BENCHMARK IN THE UPPER MIDDLE CLASS

The balanced products in the CONQUEST line provide outstanding performance for all that hunting has to offer.



ZEISS CONQUEST DL



ZEISS CONQUEST HD

ZEISS TERRA LINE

THE ENTRY CLASS

ZEISS quality and properties in a form focused on the essentials. The perfect doorway to the world of ZEISS.



ZEISS TERRA 3X



ZEISS TERRA ED

// LIVING OBSESSIONS



ZEISS VICTORY

// FEELING PASSION



ZEISS CONQUEST

// REALIZE AMBITIONS



ZEISS TERRA

Become a part of the **ZEISS Hunting Community.**

Follow us on the web:

 facebook.com/ZEISSHunting
zeiss.com/hunting-blog

Watch the ZEISS VICTORY SF video:

 youtube.com/user/zeissportsoptics

#passionforhunting

Carl Zeiss Sports Optics GmbH
ZEISS Group
Consumer Optics business group
Gloelstrasse 3 - 5
35576 Wetzlar, Germany

www.zeiss.com/sports-optics

ZEISS supports

